

A photograph of three business professionals (two men and one woman) sitting around a white table in a modern office setting, engaged in a meeting. A laptop and a coffee cup are on the table. The image is slightly faded to serve as a background for the text.

**Et armatur som leverer -
på mange plan**

KITE Ceiling
Stilrent design og
høj ydeevne




Swegon 

DESIGN OG YDEEVNE I ÉT

Ydelse, design, installation og vedligeholdelse er blot fire af de ting, som har været i fokus under udviklingen af KITE Ceiling.

KITE er navnet på det nye design-armatur fra Swegon, udviklet og produceret på vores fabrik i Tomelilla, kun 125 km fra København.



Easy Access

Ved hjælp af Easy Access på KITE Ceilings armaturfront bliver installation, indregulering, vedligeholdelse og rengøring lettere og hurtigere. Noget som igen sparer både tid og penge.

LUFTMÆNGDE - LYDTRYK RUM (Lp10A) *)							
KITE CR Størrelse		25 dB(A)		30 dB(A)		35 dB(A)	
		l/s	m ³ /h	l/s	m ³ /h	l/s	m ³ /h
125-600		53	191	63	227	73	263
160-600		66	238	76	274	87	313
200-600		88	317	102	367	119	428
250-600		114	410	132	475	153	551
315-600		125	450	147	529	174	626
KITE CR Størrelse	ALS Størrelse	25 dB(A)		30 dB(A)		35 dB(A)	
		l/s	m ³ /h	l/s	m ³ /h	l/s	m ³ /h
125-600	100-125	33	119	39	140	47	169
160-600	125-160	47	169	56	202	67	241
200-600	160-200	75	270	87	313	102	367
250-600	200-250	101	364	118	425	137	493
315-600	250-315	129	464	149	536	172	619



Tabellen angiver tilluftdata ved åbent spjæld.

*) Lp10A = Lydtryk inkl. A-filter med 4 dB rumdæmpning og 10 m² rumabsorptionsareal.


Produktdata og yderligere detaljer findes i produktatabladet.

KITE Ceiling leverer på mange plan!

Med sit stilrene design passer det ind i de fleste miljøer, og med den høje ydeevne leveres et stille indeklima uden træk. Med KITE Ceiling får du altså både design og ydelse i samme pakke.



Se KITE Ceilings effektive 4-vejsindblæsning
i animationen



Feel good **inside**

