



CASA DANCE

The renovation cooker hood
with integrated ventilation unit



CASA Dance & R2 Smart - the perfect replacement unit for kitchen

CASA DANCE cooker hood is designed especially to be used with CASA R2 Smart ventilation units. CASA R2 Smart with integrated cooker hood is an ideal renovation unit to replace old kitchen units. R2 with Dance or Disco provides increased cooker hood odour catching capability together with many other benefits.

Simple installation for replacement

CASA R2 Smart measurements and duct placement are designed to fit in old placing and with existing ducts.

Up to 50% lower energy consumption

CASA R2 Smart transfers the same amount of air with half the energy consumption compared to old kitchen units. Highly efficient heat recovery systems can recover up to 80 % of the energy in the extract air which decreases significantly the amount of energy needed to warm up the incoming air.

Up to 30% lower sound level

CASA R2 Smart is optimized for simple duct connections and efficient isolation that decreases also sound levels providing more comfort in kitchen.

Style for every kitchen

The plain front cover of the R2 unit can be supplemented with sound isolated cover panel or with kitchen cabin doors to fit perfectly in all kitchen designs. The Dance cooker hoods complement this unit to a one efficient and stylish home ventilation center that makes sure that you have a fresh, healthy and energy efficient indoor climate.







Technical specifications

Dimensions

Dance Smart



Dance



The distance between the stove and the cooker hood must not be less than 40 cm. With a gas cooker the distance increases to 65 cm. If a higher distance is recommended by the cooker manufacturer the hood should be installed accordingly.



Colour


White



Black



Stainless steel



Models

Compatible with	DANCE	
	CASA ventilation units	●
	Centralized systems	—
	Centralized systems (Free Flow)	—
	EC roof fans	—
	AC roof fans (and AHU's)	—
Width mm	600	
Height of front panel mm	45	
Depth mm	490	
Power connection	Connected to unit / plug	
Colour/material	Black / stainless steel	
Lighting	LED (4000K)	
Control panel	Buttons	
Grease filter	1 stainless steel filter	
Damper	Motorised	
Electronic timer	●	
Fan speed	ON / OFF	
Smoke limiter	—	
Sound attenuator box	—	
Duct casing	—	
Safera safety technology	—	
Installation method	Between kitchen cabinets below R2	
Provision to control the damper with a separate switch	—	
Indicating signal for the damper position	—	

- Standard equipment
- Available
- Not available

Feel good **inside**

